



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

15 W Yakima Ave, Ste 200 • Yakima, WA 98902-3452 • (509) 575-2490

March 11, 2015

Ste. Michelle Wine Estates
Attn: Steve Johnson
660 Frontier Road
Prosser, WA 99350

Re: Groundwater Change Authorization No. CG4-23977C

Dear Mr. Johnson:

In response to your request, you are hereby granted an extension to complete construction for the reason(s) below:

- Annual progress is evident.
- The project is still viable.
- Receipt of certified planting material has been delayed.

The new deadline to submit your *Construction Notice* is **January 1, 2018**.

YOUR RIGHT TO APPEAL

You have a right to appeal this decision to the Pollution Control Hearings Board (PCHB) within 30 days of the date of receipt of this decision. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal you must do the following within 30 days of the date of receipt of this decision:

- File your appeal and a copy of this decision with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this decision on Ecology in paper form - by mail or in person. (See addresses below.) E-mail is not accepted.

You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.



ADDRESS AND LOCATION INFORMATION	
Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey WA 98503 Pollution Control Hearings Board 1111 Israel Road SW Ste 301 Tumwater WA 98501	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia WA 98504-7608 Pollution Control Hearings Board PO Box 40903 Olympia WA 98504-0903

For additional information visit the Environmental Hearings Office Website: <http://www.eho.wa.gov>
To find laws and agency rules visit the Washington State Legislature Website: <http://www.leg.wa.gov/CodeReviser>

If you have any questions, please contact the Help Desk at 509-575-2597.

Sincerely,



Sage Park
Section Manager
Water Resources Program

SP:CLG:SS/150314
WR Doc ID# 2032389

Enclosures: Construction Notice
Your Right to Be Heard

By certified mail: 7010 0290 0000 7127 2334

cc: WA DNR